Vedlegg 1. Brønntesting

Schlumberger Water Services	Contact Info Address Company Name City, State/Province	**Lugeon Test Analysis Report** Project: Lugeon Number: A038991 Client: Svåheia

Location: Svåheia - Egersund	Lugeon Test: Lugeon Test	Tested bore: B1
Test Conducted by: Arve Msiund		Test Date: 26.11.2013
Analysis Performed by: Arve Misund		Analysis Date: 10.04.2014
Lithology: Granitt		



Top of Test Interval: 10.000 m
Bottom of Test Interval: 39.000 m
Length of Test Interval: 29.000 m
Depth to Groundwater: 10.000 m
Radius of Test Section: 0.067 m

Utydelig verdi under Hydraulisk Conductivity (m/s) er gjentatt til venstre nederst i skjema ($3.4033290 \times 10^{-10}$ m/s).

Step	Pressure [bar]	Flow Meter Readings [m³]					Average Flow Rate [m³/min]	Hydraulic Conductivity		
		1	2	3	4	5		[m/s]	[m/d]	Lugeon
1	2.0	0.000	0.000	0.000	0.000	0.000	0.000	$3.4033290 \times 10^{-10}$	0.000	0.0
							Average	$3.4033290 \times 10^{-10}$	0.000	0.0



Laminar
Lugeon: 0.0
Hydraulic Conductivity: 3.4033290E-10 m/s
Hydraulic Conductivity: 0.000 m/d

Schlumberger Water Services

Contact Info
Address
Company Name
City, State/Province

Lugeon Test Analysis Report

Project: Lugeon
Number: A038991
Client: Svåheia

Location: Svåheia - Egersund	Lugeon Test: Lugeon Test	Tested bore: B2
Test Conducted by: Arve Msiund		Test Date: 26.11.2013
Analysis Performed by: Arve Misund		Analysis Date: 10.04.2014
Lithology: Granitt		



Top of Test Interval: 10.000 m
Bottom of Test Interval: 39.000 m
Length of Test Interval: 29.000 m
Depth to Groundwater: 10.000 m
Radius of Test Section: 0.067 m

Utydelig verdi under Hydraulisk Conductivity (m/s) er gjentatt til venstre nederst i skjema ($3.4033290 \times 10^{-10}$ m/s).

Step	Pressure [bar]	Flow Meter Readings [m³]					Average Flow Rate [m³/min]	Hydraulic Conductivity		
		1	2	3	4	5		[m/s]	[m/d]	Lugeon
1	2.0	0.000	0.000	0.000	0.000	0.000	0.000	$3.4033290 \times 10^{-10}$	0.000	0.0
							Average	$3.4033290 \times 10^{-10}$	0.000	0.0



Laminar
Lugeon: 0.0
Hydraulic Conductivity: 3.4033290E-10 m/s
Hydraulic Conductivity: 0.000 m/d

Schlumberger Water Services	Contact Info Address Company Name City, State/Province	**Lugeon Test Analysis Report** Project: Lugeon Number: A038991 Client: Svåheia

Location: Svåheia - Egersund	Lugeon Test: Lugeon Test	Tested bore: B3
Test Conducted by: Arve Msiund		Test Date: 26.11.2013
Analysis Performed by: Arve Misund		Analysis Date: 10.04.2014
Lithology: Granitt		



Top of Test Interval: 10.000 m
Bottom of Test Interval: 39.000 m
Length of Test Interval: 29.000 m
Depth to Groundwater: 10.000 m
Radius of Test Section: 0.067 m

Utydelig verdi under Hydraulisk Conductivity (m/s) er gjentatt til venstre nederst i skjema ($3.4033290 \times 10^{-10}$ m/s).

Step	Pressure [bar]	Flow Meter Readings [m³]					Average Flow Rate [m³/min]	Hydraulic Conductivity		
		1	2	3	4	5		[m/s]	[m/d]	Lugeon
1	2.0	0.000	0.000	0.000	0.000	0.000	0.000	$3.4033290 \times 10^{-10}$	0.000	0.0
							Average	$3.4033290 \times 10^{-10}$	0.000	0.0



Laminar
Lugeon: 0.0
Hydraulic Conductivity: 3.4033290E-10 m/s
Hydraulic Conductivity: 0.000 m/d

Schlumberger Water Services	Contact Info Address Company Name City, State/Province	**Lugeon Test Analysis Report**
		Project: Lugeon
		Number: A038991
		Client: Svåheia

Location: Svåheia - Egersund	Lugeon Test: Lugeon Test	Tested bore: B4
Test Conducted by: Arve Msiund		Test Date: 26.11.2013
Analysis Performed by: Arve Misund		Analysis Date: 10.04.2014
Lithology: Granitt		



Top of Test Interval: 10.000 m
Bottom of Test Interval: 39.000 m
Length of Test Interval: 29.000 m
Depth to Groundwater: 10.000 m
Radius of Test Section: 0.067 m

Utydelig verdi under Hydraulisk Conductivity (m/s) er gjentatt til venstre nederst i skjema ($3.4033290 \times 10^{-10}$ m/s).

Step	Pressure [bar]	Flow Meter Readings [m³]					Average Flow Rate [m³/min]	Hydraulic Conductivity		
		1	2	3	4	5		[m/s]	[m/d]	Lugeon
1	2.0	0.000	0.000	0.000	0.000	0.000	0.000	$3.4033290 \times 10^{-10}$	0.000	0.0
							Average	$3.4033290 \times 10^{-10}$	0.000	0.0



Laminar
Lugeon: 0.0
Hydraulic Conductivity: 3.4033290E-10 m/s
Hydraulic Conductivity: 0.000 m/d

Schlumberger Water Services	Contact Info Address Company Name City, State/Province	**Lugeon Test Analysis Report** Project: Lugeon Number: A038991 Client: Svåheia

Location: Svåheia - Egersund	Lugeon Test: Lugeon Test	Tested bore: B5
Test Conducted by: Arve Msiund		Test Date: 26.11.2013
Analysis Performed by: Arve Misund		Analysis Date: 10.04.2014
Lithology: Granitt		



Top of Test Interval: 10.000 m
Bottom of Test Interval: 39.000 m
Length of Test Interval: 29.000 m
Depth to Groundwater: 10.000 m
Radius of Test Section: 0.067 m

Utydelig verdi under Hydraulisk Conductivity (m/s) er gjentatt til venstre nederst i skjema ($3.4033290 \times 10^{-10}$ m/s).

Step	Pressure [bar]	Flow Meter Readings [m³]					Average Flow Rate [m³/min]	Hydraulic Conductivity		
		1	2	3	4	5		[m/s]	[m/d]	Lugeon
1	2.0	0.000	0.000	0.000	0.000	0.000	0.000	$3.4033290 \times 10^{-10}$	0.000	0.0
							Average	$3.4033290 \times 10^{-10}$	0.000	0.0



Laminar
Lugeon: 0.0
Hydraulic Conductivity: 3.4033290E-10 m/s
Hydraulic Conductivity: 0.000 m/d

Schlumberger Water Services	Contact Info Address Company Name City, State/Province	**Lugeon Test Analysis Report**
		Project: Lugeon
		Number: A038991
		Client: Svåheia

Location: Svåheia - Egersund	Lugeon Test: Lugeon Test	Tested bore: B6
Test Conducted by: Arve Msiund		Test Date: 26.11.2013
Analysis Performed by: Arve Misund		Analysis Date: 10.04.2014
Lithology: Granitt		



Top of Test Interval: 10.000 m
Bottom of Test Interval: 39.000 m
Length of Test Interval: 29.000 m
Depth to Groundwater: 10.000 m
Radius of Test Section: 0.067 m

Utydelig verdi under Hydraulisk Conductivity (m/s) er gjentatt til venstre nederst i skjema ($3.4033290 \times 10^{-10}$ m/s).

Step	Pressure [bar]	Flow Meter Readings [m³]					Average Flow Rate [m³/min]	Hydraulic Conductivity		
		1	2	3	4	5		[m/s]	[m/d]	Lugeon
1	2.0	0.000	0.000	0.000	0.000	0.000	0.000	$3.4033290 \times 10^{-10}$	0.000	0.0
							Average	$3.4033290 \times 10^{-10}$	0.000	0.0



Laminar
Lugeon: 0.0
Hydraulic Conductivity: 3.4033290E-10 m/s
Hydraulic Conductivity: 0.000 m/d

Schlumberger Water Services	Contact Info Address Company Name City, State/Province	**Lugeon Test Analysis Report** Project: Lugeon Number: A038991 Client: Svåheia

Location: Svåheia - Egersund	Lugeon Test: Lugeon Test	Tested bore: B7
Test Conducted by: Arve Msiund		Test Date: 26.11.2013
Analysis Performed by: Arve Misund		Analysis Date: 10.04.2014
Lithology: Granitt		



Top of Test Interval: 10.000 m
Bottom of Test Interval: 39.000 m
Length of Test Interval: 29.000 m
Depth to Groundwater: 10.000 m
Radius of Test Section: 0.067 m

Utydelig verdi under Hydraulisk Conductivity (m/s) er gjentatt til venstre nederst i skjema ($3.4033290 \times 10^{-10}$ m/s).

Step	Pressure [bar]	Flow Meter Readings [m³]					Average Flow Rate [m³/min]	Hydraulic Conductivity		
		1	2	3	4	5		[m/s]	[m/d]	Lugeon
1	2.0	0.000	0.000	0.000	0.000	0.000	0.000	$3.4033290 \times 10^{-10}$	0.000	0.0
							Average	$3.4033290 \times 10^{-10}$	0.000	0.0



Laminar
Lugeon: 0.0
Hydraulic Conductivity: 3.4033290E-10 m/s
Hydraulic Conductivity: 0.000 m/d

Schlumberger Water Services	Contact Info Address Company Name City, State/Province	**Lugeon Test Analysis Report**
		Project: Lugeon
		Number: A038991
		Client: Såheia

Location: Såheia - Egersund	Lugeon Test: Lugeon Test	Tested bore: B8
Test Conducted by: Arve Msiund		Test Date: 26.11.2013
Analysis Performed by: Arve Misund		Analysis Date: 10.04.2014
Lithology: Granitt		



Top of Test Interval: 10.000 m
Bottom of Test Interval: 39.000 m
Length of Test Interval: 29.000 m
Depth to Groundwater: 10.000 m
Radius of Test Section: 0.067 m

Utydelig verdi under Hydraulisk Conductivity (m/s) er gjentatt til venstre nederst i skjema ($3.4033290 \times 10^{-10}$ m/s).

Step	Pressure [bar]	Flow Meter Readings [m³]					Average Flow Rate [m³/min]	Hydraulic Conductivity		
		1	2	3	4	5		[m/s]	[m/d]	Lugeon
1	2.0	0.000	0.000	0.000	0.000	0.000	0.000	$3.4033290 \times 10^{-10}$	0.000	0.0
							Average	$3.4033290 \times 10^{-10}$	0.000	0.0



Laminar
Lugeon: 0.0
Hydraulic Conductivity: 3.4033290E-10 m/s
Hydraulic Conductivity: 0.000 m/d